

NICEEVEER



TANK serie – MULTI HFE



Gli impianti Gli Impianti Ceever Serie MULTI HFE sono macchine a vasche multiple dotate di galleria di copertura e di uno o più trasportatori automatici per la movimentazione interna dei cestelli.

Il successo ottenuto da queste macchine è in gran parte dovuto alla loro versatilità d'impiego, alle grandi capacità produttive, all'affidabilità (legata alla semplicità costruttiva) e al basso impatto ambientale.

La versatilità è prima di tutto costruttiva, in quanto è possibile adattare questo tipo di impianto a molti cicli di trattamento e a diversi sistemi per il carico/scarico dei pezzi da trattare.

Attraverso il sistema di gestione random, è possibile associare ad ogni cestello un programma di trattamento differente, evitando di dover lavorare a lotti come accade negli impianti di vecchia generazione.

All'interno delle vasche di trattamento possono essere inserite attrezzature porta cestelli, buratti rotanti o buratti porta cestelli. Le scelte possono essere molteplici e possono anche essere personalizzate a seconda delle esigenze del cliente.



Ceever MULTI HFE Plant Series are machine at multiple vats endowed with gallery of coverage and one or more automatic conveyors for the inside handling of the basket.


The great success of Robot Series is due to its maximum versatility and reliability (mainly due to the constructive simplicity), to the great productive ability and the low environmental impact.

Versatility is at first constructive, it is possible to adapt these plants at many cycles of treatment and different systems of loading / unloading of the pieces to treat.

Thanks to the random system of management it is possible to associate at every basket a different program of treatment, avoiding to have to work by lot as happens in old generation plants.

Inside of the vats treatment it is possible to insert carry basket equipment, rotating drum or carry basket drum. The choices can be manifold and it is possible to personalize them according to the specific demands of the client.





HFE CLEANING PROCESS



PROCESSO HFE

Il ciclo base HFE è composto da 4 stadi come descritto in seguito

LAVAGGIO IN IDROCARBURO

Fase di lavaggio a caldo con ultrasuoni

LAVAGGIO IN HFE

Fase di lavaggio a caldo con ultrasuoni

RISCIACQUO IN VAPORI HFE

Fase di risciacquo in vapore di solvente

ASCIUGATURA

Asciugatura in aria



HFE PROCESS

The HFE process is composed by 4 stage like described below:

HIDROCARBON CLEANING

Heated cleaning in hidrocarbon solvent with ultrasound power.

HFE CLEANING

Heated cleaning in HFE solvent with ultrasound power.

HFE VAPOR RINSING

Rinsing in HFE vapors

DRYING

Ambient air drying in aria



PRECISION CLEANING





CEEVER

Via Cesare Battisti 2
20090 Settala
Milan
Italy

PHONE

+39.[0]2.95.77.00.24

FAX

+39.[0]2.95.77.03.01

MAIL

sales@ceever.com

WWW.CEEVER.COM

